

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended



Luban DMDX-6147
30703

Version / Revision
Supersedes Version

1
-

Revision Date
Issuing date

05-Apr-2022
05-Apr-2022

SECTION 1: Identification of the substance / mixture and of the company / undertaking

1.1. Product identifier

Identification of the substance/preparation

Luban DMDX-6147

Polymer family

Polyethylene (HDPE)

CAS-No

25087-34-7

EC No.

607-541-7

Registration number (REACH)

01-2119456615-34 (1-Butene)

01-2119462827-27 (Ethene)

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses

Industrial processing & uses

Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Company/Undertaking
Identification

OQ Plastics L.L.C.
Sohar Industrial Plant
P.O. Box 282
Sohar Oman

Only representative

OQ Chemicals GmbH
Rheinpromenade 4A
D-40789 Monheim
Germany

Product Information

Product Stewardship
FAX: +49 (0)208 693 2053
email: sc.psq@oq.com

1.4. Emergency telephone number

Emergency telephone number +44 (0) 1235 239 670 (UK)
available 24/7

National emergency telephone number National Poisons Information Centre
+353 (0)1 809 2166
available to the public 8 am - 10 pm
+353 (0)1 809 2566
available 24/7 for medical professionals

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Based on present data no classification and labelling is required according to Directive 1272/2008/EC and its amendments (CLP Regulation)

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended



Luban DMDX-6147
30703

Version / Revision 1

2.2. Label elements

Not required.

2.3. Other hazards

Dust can form an explosive mixture in air
Eye mechanical irritation is possible

PBT and vPvB assessment Not required

SECTION 3: Composition / information on ingredients

3.2. Mixtures

Component	CAS-No	REACH-No	1272/2008/EC	Concentration (%)
1-Butene, Polymer with Ethene	25087-34-7	01-2119456615-34 (1-Butene) 01-2119462827-27 (Ethene)	-	> 99
Non-hazardous additives	-	-	-	< 1

Remarks

This SDS covers prime and near-prime materials of the grade identified in section 1.

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation

If inhaled and if breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. If symptoms persist, seek medical attention.

Skin

Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse. After contact with the molten product, cool rapidly with cold water. Removal of solidified molten material from skin requires medical assistance.

Eyes

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists, get medical advice/attention.

Ingestion

Rinse mouth. If you feel unwell, seek medical advice.

4.2. Most important symptoms and effects, both acute and delayed

Main symptoms

Inhalation of vapors may cause respiratory irritation, Risk of thermal burns on contact with molten product, Causes serious eye irritation, May be a choking hazard.

4.3. Indication of any immediate medical attention and special treatment needed

General advice

Remove contaminated, soaked clothing immediately and dispose of safely. First aider needs to protect himself.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended



Luban DMDX-6147
30703

Version / Revision 1

Treat symptomatically and supportively.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Foam, Dry powder, Carbon dioxide, Water spray, Sand

Unsuitable Extinguishing Media

Do not use a solid water stream as it may scatter and spread fire.

5.2. Special hazards arising from the substance or mixture

Burning produces irritating, toxic and noxious fumes

Combustible dust

Dust may form explosive mixture in air. Dust cloud in combination with static electricity can very be explosive

5.3. Advice for firefighters

Special protective equipment for firefighters

Fire fighter protection should include a self-contained breathing apparatus (NIOSH-approved or EN 133) and full fire-fighting turn out gear.

Precautions for firefighting

Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment. Keep people away from and upwind of fire. Do not enter fire area without proper protective equipment, including respiratory protection. Wear fire/flame resistant/retardant clothing. EN469.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel: For personal protective equipment see section 8. Avoid contact with skin, eyes and clothing. Avoid creating or spreading dust. Do not breathe vapor. Do not breathe dust. Use personal protective equipment as required. Ground/bond container and receiving equipment. Evacuate unnecessary personnel.

For emergency responders: Personal protection see section 8.

6.2. Environmental precautions

Prevent entry to sewers and public waters. Prevent further leakage or spillage. Do not discharge product into the aquatic environment without pretreatment (biological treatment plant).

6.3. Methods and material for containment and cleaning up

Methods for containment

Avoid generating dust. Contain and collect as any solid.

Methods for cleaning up

On land, sweep or shovel into suitable containers. Minimize generation of dust. Store away from other materials. Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapours).

6.4. Reference to other sections

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended



Luban DMDX-6147
30703

Version / Revision 1

For personal protective equipment see section 8.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapor. Ground/bond container and receiving equipment.

Hygiene measures

Do not eat, drink or smoke during use.

Advice on the protection of the environment

See Section 8: Environmental exposure controls.

Incompatible products

Moisture
Strong oxidizers
Sources of ignition
Direct sunlight
Heat, flames and sparks

7.2. Conditions for safe storage, including any incompatibilities

Advice on protection against fire and explosion

Risk of dust explosion in fine crystalline powder form. Dust can form an explosive mixture in air. Keep away from sources of ignition - No smoking. Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapours). In case of fire, emergency cooling with water spray should be available. Ground and bond containers when transferring material.

Technical measures/Storage conditions

Proper grounding procedures to avoid static electricity should be followed. Keep only in the original container. Keep container closed when not in use. Store in dry, cool, well-ventilated area. Store in a dark area.

Temperature class

T2

7.3. Specific end use(s)

Industrial processing & uses

SECTION 8: Exposure controls / personal protection

8.1. Control parameters

Exposure limits European Union

No exposure limits established

Exposure limits Ireland

Ireland OELs

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended



Luban DMDX-6147
30703

Version / Revision 1

Component	TWA (mg/m ³)	TWA (ppm)	STEL (mg/m ³)	STEL (ppm)	Skin Absorption	Sensitizer
1-Butene, Polymer with Ethene CAS: 25087-34-7	10 Total inhalable dust. 4 Respirable dust.					
Dust, general threshold limit value (inhalable fraction) CAS: -	10					
Dust, general threshold limit value (respirable fraction) CAS: -	4					

Notes

For details and further information please refer to the original regulation.

DNEL & PNEC

Not required.

8.2. Exposure controls

Special adaptations (REACH)

This substance is exempted from REACH (1907/2006).

Appropriate Engineering controls

Avoid dispersal of dust in the air (clearing dust surfaces with compressed air). Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Provide local exhaust or general room ventilation. Use spark-/explosion proof appliances and lighting system.

Personal protective equipment

General industrial hygiene practice

Do not eat, drink or smoke during use.

Hygiene measures

Do not eat, drink or smoke during use.

Eye protection

Chemical goggles or safety glasses. When handling in molten state: Face shield.
Equipment should conform to EN 166

Hand protection

Wear dust impervious gloves. Nitrile rubber. Neoprene/natural rubber. Heat protective impervious gloves when handling molten product.

Skin and body protection

Wear suitable protective clothing.

Respiratory protection

In case of inadequate ventilation wear respiratory protection. Appropriate dust or mist respirator should be used if airborne particles are generated when handling this material.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended



Luban DMDX-6147
30703

Version / Revision 1

Thermal Hazard

Flame retardant clothing should be used when handling in molten state.

Environmental exposure controls

If possible use in closed systems. If leakage can not be prevented, the substance needs to be suck off at the emersion point, if possible without danger. Observe the exposure limits, clean exhaust air if needed. If recycling is not practicable, dispose of in compliance with local regulations. Inform the responsible authorities in case of leakage into the atmosphere, or of entry into waterways, soil or drains.

Additional advice

Further details on substance data can be found in the registration dossier under the following link:
<http://echa.europa.eu/information-on-chemicals/registered-substances>.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance	pellets
Colour	white, clear
Odour	slight
Odour threshold	No data available
pH	No data available
Melting point/range	No data available
Boiling point/range	No data available
Flash point	No data available
Evaporation rate	No data available
Flammability (solid, gas)	not flammable
Lower explosion limit	No data available
Upper explosion limit	No data available
Vapour pressure	No data available
Vapour density	No data available

Relative density

Values	@ °C	@ °F	Method
948 - 965	-	-	-

Solubility	insoluble, in water
log Pow	No data available
Autoignition temperature	349 °C
Decomposition temperature	> 300 °C
Viscosity	No data available
Explosive properties	No data available
Oxidizing properties	No data available

9.2. Other information

Molecular formula	-(C ₄ H ₈ .C ₂ H ₄) _x -
-------------------	---

SECTION 10: Stability and Reactivity

10.1. Reactivity

No dangerous reactions known under normal conditions of use.

10.2. Chemical stability

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended



Luban DMDX-6147
30703

Version / Revision 1

Stable under recommended handling and storage conditions (see section 7).

10.3. Possibility of hazardous reactions

Hazardous polymerization will not occur.

10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures. Avoid creating or spreading dust.

10.5. Incompatible materials

Strong oxidizers, Moisture.

10.6. Hazardous decomposition products

Carbon monoxide. Carbon dioxide. Burning produces irritating, toxic and noxious fumes.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Likely routes of exposure Eye contact, Ingestion, Inhalation, Skin contact

Acute toxicity				
1-Butene, Polymer with Ethene (25087-34-7)				
Routes of Exposure	Endpoint	Values	Species	Method
Oral	LD50	> 5000 mg/kg	rat	
Dermal	LD50	> 2000 mg/kg	rat	

1-Butene, Polymer with Ethene, CAS: 25087-34-7

Assessment

Based on available data, the classification criteria are not met for:

Acute oral toxicity

Acute dermal toxicity

For acute inhalation toxicity, no data are available

1-Butene, Polymer with Ethene, CAS: 25087-34-7

Assessment

For skin irritation, no data are available

For eye irritation, no data are available

For respiratory irritation, no data are available

1-Butene, Polymer with Ethene, CAS: 25087-34-7

Assessment

For skin sensitization, no data are available

For respiratory sensitization, no data are available

1-Butene, Polymer with Ethene, CAS: 25087-34-7

Assessment

For subacute, subchronic and prolonged toxicity, no data are available

1-Butene, Polymer with Ethene, CAS: 25087-34-7

Evaluation

For carcinogenicity, no data are available

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended



Luban DMDX-6147
30703

Version / Revision 1

For mutagenicity, no data are available
For reproductive toxicity, no data are available

1-Butene, Polymer with Ethene, CAS: 25087-34-7

Aspiration toxicity

no data available

SECTION 12: Ecological information

12.1. Toxicity

No data available

12.2. Persistence and degradability

1-Butene, Polymer with Ethene, CAS: 25087-34-7

Biodegradation

Not readily biodegradable.

12.3. Bioaccumulative potential

Not expected to bioaccumulate

12.4. Mobility in soil

Low mobility (soil)

12.5. Results of PBT and vPvB assessment

Not required

12.6. Other adverse effects

No data available

Note

Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product Information

Dispose in a safe manner in accordance with local/national regulations. Avoid release to the environment.

Waste Code

For disposal within the EC, the appropriate code according to the European Waste Catalogue (EWC) should be used.

SECTION 14: Transport information

Section 14.1 - 14.6

ADR/RID

Not restricted

ADN

Not restricted

Not restricted

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended



Luban DMDX-6147
30703

Version / Revision 1

ICAO-TI / IATA-DGR

IMDG

Not restricted

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation 1272/2008, Annex VI

not listed

DI 2012/18/EU (Seveso III)

Category not subject

DI 1999/13/EC (VOC Guideline)

Component	Status
1-Butene, Polymer with Ethene CAS: 25087-34-7	not subject

EU REACH (No 1907/2006)

OQ representation of downstream users requires a separate agreement with OQ Chemicals

International Inventories

1-Butene, Polymer with Ethene, CAS: 25087-34-7

AICS (AU)
DSL (CA)
IECSC (CN)
ENCS (6)-18 (JP)
ISHL (6)-18 (JP)
KECI KE-04086 (KR)
PICCS (PH)
TSCA (US)
NZIoC-NZ with note
TCSI (TW)

15.2. Chemical safety assessment

The Chemical Safety Report (CSR) is not required.

SECTION 16: Other information

Abbreviations

A table of terms and abbreviations can be found under the following link:

http://echa.europa.eu/documents/10162/13632/information_requirements_r20_en.pdf

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended



Luban DMDX-6147
30703

Version / Revision 1

Training advice

For effective first-aid, special training / education is needed.

Sources of key data used to compile the datasheet

Information contained in this safety data sheet is based on OQ owned data and public sources deemed valid or acceptable. The absence of data elements required by OSHA, ANSI or Annex II, Regulation 1907/2006/EC indicates, that no data meeting these requirements is available.

Further information for the safety data sheet

Changes against the previous version are marked by ***. For more information, other safety data sheets or technical data sheets please consult the OQ homepage (www.oq.com).

The annex is not required because this material is exempted from REACH

Disclaimer

For industrial use only. The information contained herein is accurate to the best of our knowledge. We do not suggest or guarantee that any hazards listed herein are the only ones which exist. OQ makes no warranty of any kind, express or implied, concerning the safe use of this material in your process or in combination with other substances. User has the sole responsibility to determine the suitability of the materials for any use and the manner of use contemplated. User must meet all applicable safety and health standards.

End of Safety Data Sheet